



2019 Air Quality Annual Progress Report (APR) for **ARGYLL AND BUTE COUNCIL**

In fulfilment of Part IV of the Environment Act 1995

Local Air Quality Management

June 2019

Local Authority Officer	Malcolm Chattwood
Department	Regulatory Services
Address	Kilmory, Lochgilphead PA31 8RT
Telephone	01546 604421
E-mail	malcolm.chattwood@argyll-bute.gov.uk
Report Reference number	LAQM/APR/2019
Approved by Alan Morrison, Regulatory Services Manager	
Date	25/6/19
Signature	

Executive Summary: Air Quality in Our Area

Air quality in Argyll and Bute is considered to be generally very good and complies with all the air quality objectives listed in Table 1.1. The Council has not identified any areas where air quality objectives may be under threat and where specific action is required to improve air quality. There is therefore no requirement to undertake a Detailed Assessment for any pollutant.

Argyll and Bute is an authority with over 73% of its area classified as remote¹ and a population which is widely distributed. There is only one town with a population greater than 10,000 and industries tend to be geographically diverse and related to the natural assets of the area. Forestry and agriculture are prevalent inland, whilst in coastal areas there are a number of distilleries, fish farms and fishing businesses. Large scale industry is absent and this is reflected by the low number and nature of industries regulated by SEPA under the Pollution Prevention and Control regime. Tourism makes a significant and important contribution to the Argyll and Bute economy and is responsible for higher summer-time traffic flows in some areas.

Results of modelling of sources of nitrogen dioxide and particulates are presented in Figures 8, 9 and 10 and show that background concentrations are very low. In the absence of industry hotspots the major potential source of pollution that may impact on human health is that produced by motor vehicles. However, traffic flows tend to reflect the low and dispersed population and a network of nitrogen dioxide diffusion tubes is maintained to monitor those areas in town centres considered to be subject to higher concentrations. Reference to the measured annual trends in Figures 1 to 4 shows that nitrogen dioxide levels are well below the annual objective and trends are either level or falling at all sites where tubes have been established long enough for relationships to be plotted.

The shift to install small to medium-sized biomass boilers at commercial premises has continued although at a slower rate than recent years. Technical details supporting planning applications are subject to scrutiny and evaluation to ensure that air quality objectives should not be compromised.

Actions to Improve Air Quality

Where opportunities exist the Council supports initiatives such as the multi-agency Argyll Timber Transport Forum which aims to minimise the environmental impact of timber transport between forest and mill. This is achieved through the use of dedicated off-highway transport routes and sea transport via the TimberLink network. The TimberLINK service ships up to 100,000 tonnes of timber a year from the Argyll ports of Ardrishaig, Campbeltown, Sandbank and temporary facilities to wood processing plants in Ayrshire removing around 8,000 lorry journeys (or nearly one million lorry miles) a year from roads between Argyll and Ayrshire, including tourist routes in Argyll and the Greater Glasgow conurbation.

Local Priorities and Challenges

Although the Council does not face any specific challenges in relation to air quality the current regulatory system does not fully control the potential emissions from smaller biomass boilers and stoves which often fall outwith the development planning system.

How to Get Involved

The Council publishes a report summarising the results of its air quality monitoring. Copies can be downloaded at <https://www.argyll-bute.gov.uk/planning-and-environment/air-pollution-and-local-air-quality>

Table of Contents

Executive Summary: Air Quality in Our Area	3
Actions to Improve Air Quality	4
Local Priorities and Challenges.....	4
How to Get Involved.....	4
1. Local Air Quality Management	7
2. Actions to Improve Air Quality	8
2.1 Air Quality Management Areas.....	8
2.2 Cleaner Air for Scotland	8
2.2.1 Transport – Avoiding travel – T1	8
2.2.2 Climate Change – Effective co-ordination of climate change and air quality policies to deliver co-benefits – CC2.....	9
3. Air Quality Monitoring Data and Comparison with Air Quality Objectives	10
3.1 Summary of Monitoring Undertaken	10
3.1.1 Automatic Monitoring Sites	10
3.1.2 Non-Automatic Monitoring Sites.....	10
3.2 Individual pollutants.....	10
3.2.1 Nitrogen Dioxide (NO ₂).....	10
3.2.2 Particulate Matter (PM ₁₀).....	10
3.2.3 Particulate Matter (PM _{2.5})	11
3.2.4 Sulphur Dioxide (SO ₂)	11
3.2.5 Carbon Monoxide, Lead and 1,3-Butadiene	11
4. New Local Developments	12
4.1 Road Traffic Sources.....	12
4.2 Other Transport Sources.....	12
4.3 Industrial Sources.....	12
4.4 Commercial and Domestic Sources	13
4.5 New Developments with Fugitive or Uncontrolled Sources.....	14
5. Planning Applications	15
6. Conclusions and Proposed Actions	16
6.1 Conclusions from New Monitoring Data.....	16
6.2 Conclusions relating to New Local Developments	16
6.3 Proposed Actions	16
Appendix A: Monitoring Results	17
Appendix B: Full Monthly Diffusion Tube Results for 2018	24

Appendix C: Supporting Technical Information / Air Quality Monitoring

Data QA/QC	25
Appendix D: Maps	26
Glossary of Terms	36
References	37

List of Tables

Table 1.1 – Summary of Air Quality Objectives in Scotland	7
Table 4.1 Proposed Biomass Boilers >50kW	13
Table 4.2. Biomass boilers – assessment against annual mean PM ₁₀ objective	13
Table 4.3. Biomass boilers – assessment against annual mean NO ₂ objective ...	13
Table 4.4. Biomass boilers – assessment against 24 hour NO ₂ objective	14
Table A.1 – Details of Non-Automatic Monitoring Sites	17
Table A.2 – Annual Mean NO ₂ Monitoring Results for 2018 at Nearest Receptor ...	23
Table B.1 – NO ₂ Monthly Diffusion Tube Results for 2018	24

List of Figures

Figure 1. Graph of Annual NO ₂ trends – Oban, Lorn and Isles Area.....	19
Figure 2. Graph of Annual NO ₂ trends – Bute and Cowal area	20
Figure 3. Graph of Annual NO ₂ trends – Mid-Argyll, Kintyre and Islay Area.....	21
Figure 4 Graph of Annual NO ₂ trends –Helensburgh and Lomond Area	22
Figure 5 Map of Population Distribution & A Roads.....	26
Figure 6 Map of Major Settlements and Population	27
Figure 7 Map of Transport Routes	28
Figure 8 Map of Modelled Background NO ₂ Annual Mean Concentration	29
Figure 9 Map of Modelled Background PM ₁₀ Annual Mean Concentration	30
Figure 10 Map of Modelled Background PM _{2.5} Annual Mean Concentration	31
Figure 11 Map of Monitoring Locations.....	32
Figure 12 Map of Diffusion Tube Sites, Oban Town Centre.....	33
Figure 13 Map of Diffusion Tube Sites, Helensburgh Town Centre	34
Figure 14 Map of SEPA Permitted Process Sites	35

1. Local Air Quality Management

This report provides an overview of air quality in Argyll and Bute during 2018. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Progress Report (APR) summarises the work being undertaken by Argyll and Bute to improve air quality and any progress that has been made.

Table 1.1 – Summary of Air Quality Objectives in Scotland

Pollutant	Air Quality Objective		Date to be achieved by
	Concentration	Measured as	
Nitrogen dioxide (NO ₂)	200 µg/m ³ not to be exceeded more than 18 times a year	1-hour mean	31.12.2005
	40 µg/m ³	Annual mean	31.12.2005
Particulate Matter (PM ₁₀)	50 µg/m ³ , not to be exceeded more than 7 times a year	24-hour mean	31.12.2010
	18 µg/m ³	Annual mean	31.12.2010
Particulate Matter (PM _{2.5})	10 µg/m ³	Annual mean	31.12.2020
Sulphur dioxide (SO ₂)	350 µg/m ³ , not to be exceeded more than 24 times a year	1-hour mean	31.12.2004
	125 µg/m ³ , not to be exceeded more than 3 times a year	24-hour mean	31.12.2004
	266 µg/m ³ , not to be exceeded more than 35 times a year	15-minute mean	31.12.2005
Benzene	3.25 µg/m ³	Running annual mean	31.12.2010
1,3 Butadiene	2.25 µg/m ³	Running annual mean	31.12.2003
Carbon Monoxide	10.0 mg/m ³	Running 8-Hour mean	31.12.2003
Lead	0.25 µg/m ³	Annual Mean	31.12.2008

2. Actions to Improve Air Quality

2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12 months, setting out measures it intends to put in place in pursuit of the objectives.

Argyll and Bute Council currently does not have any AQMAs and this current and past annual assessments suggest that it will be very unlikely to be necessary to declare any AQMAs in the future.

2.2 Cleaner Air for Scotland

Cleaner Air for Scotland – The Road to a Healthier Future (CAFS) is a national cross-government strategy that sets out how the Scottish Government and its partner organisations propose to reduce air pollution further to protect human health and fulfil Scotland's legal responsibilities as soon as possible. A series of actions across a range of policy areas are outlined, a summary of which is available at <https://www.gov.scot/Publications/2015/11/5671/17>. Progress by Argyll and Bute Council against relevant actions within this strategy is demonstrated below.

2.2.1 Transport – Avoiding travel – T1

All local authorities should ensure that they have a corporate travel plan (perhaps within a carbon management plan) which is consistent with any local air quality action plan. Argyll and Bute Council does not currently have a formal corporate travel plan but the widely dispersed geographical location of offices and other workplaces (including offshore) has prompted the widespread development of facilities such as video conferencing with a consequent reduction in travel. Upgrading and increased use of IT has allowed a number of employees to work from home. Following the opening of Helensburgh and Lomond Civic Centre in 2016 the further local reduction in office buildings and consolidation of workspace has increased opportunities for both car sharing and use of public transport. It is anticipated that increasing familiarity with the use of the technology will allow staff to continue to reduce business travel between locations within the working day.

All of Argyll and Bute's schools have a travel plan in place. School Travel Plans identify issues relating to the school journey and set out agreed aims and packages

of measures to promote more sustainable travel choices for pupils, parents, staff and visitors.

2.2.2 Climate Change – Effective co-ordination of climate change and air quality policies to deliver co-benefits – CC2

Scottish Government expects any Scottish local authority which has or is currently developing a Sustainable Energy Action Plan to ensure that air quality considerations are covered. With the exception of the urban cores of Helensburgh, Dunoon and Rothesay, Argyll and Bute is not connected to the national gas grid whilst local LPG networks of limited extent and capacity exist in Campbeltown and Oban. There has been a programme of the installation of biomass boilers at schools and other Council buildings to replace other heating fuels, generally oil or electricity. Argyll and Bute Council does not have a formally adopted sustainable action energy plan but other strategies include provisions with the potential to exploit synergies between climate change and air quality.

Local Development Policy LDP 6 *Supporting the Sustainable Growth of Renewables*⁸ requires that the Council will support renewable energy developments where these are consistent with the principles of sustainable development and it can be adequately demonstrated that there would be no unacceptable significant adverse effects, whether individual or cumulative, including on local communities. This policy includes air quality and installations are assessed as part of planning application and Clean Air Act requirements.

The Council's Economic Development Strategy⁹ has identified a role to encourage the creation of business clusters to concentrate employment opportunities with a reduction in the demand for commuting. The Strategy also supports the continued development of the established renewables sector including wind, solar and hydro. This contributes to the reduction in air quality and climate change impact outwith Argyll and Bute due to the reduction in the dependence of the electricity generating industry on the burning of fossil fuels such as coal and gas.

3. Air Quality Monitoring Data and Comparison with Air Quality Objectives

3.1 Summary of Monitoring Undertaken

3.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how local concentrations of the main air pollutants compare with the objectives.

Argyll and Bute Council did not undertake any automatic (continuous) monitoring during 2018.

3.1.2 Non-Automatic Monitoring Sites

Argyll and Bute Council continued to undertake non - automatic (passive) monitoring of NO₂ at 10 sites during 2018. Table A.1 in Appendix A shows the details of the sites. Maps showing the location of the monitoring sites are provided in Appendix D. Further details on Quality Assurance/Quality Control (QA/QC) and bias adjustment for the diffusion tubes are included in Appendix C.

3.2 Individual pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for annualisation and bias. Further details on adjustments are provided in Appendix C.

3.2.1 Nitrogen Dioxide (NO₂)

Table A.2 in Appendix A compares the ratified and adjusted monitored NO₂ annual mean concentrations for the past 5 years with the air quality objective of 40µg/m³.

For diffusion tubes, the full 2018 dataset of monthly mean values is provided in Appendix B.

The results show that for all sites the bias adjusted annual mean concentrations of NO₂ are all well below the annual objective. The majority of sites have been monitored continuously for between 10 and 15 years allowing trends to be plotted and it can be seen from Figures 1 to 4 that the annual average trend is downwards at all urban sites.

3.2.2 Particulate Matter (PM₁₀)

Argyll and Bute Council does not monitor PM₁₀.

3.2.3 Particulate Matter (PM_{2.5})

Argyll and Bute Council does not monitor PM_{2.5} nor does it have any plans to undertake any such monitoring.

3.2.4 Sulphur Dioxide (SO₂)

Argyll and Bute Council does not monitor SO₂.

3.2.5 Carbon Monoxide, Lead and 1,3-Butadiene

Argyll and Bute Council does not monitor carbon monoxide, lead or 1,3 butadiene.

4. New Local Developments

Since the publication of the 2018 Annual Progress Report there have been a small number of new developments which, if approved, may affect air quality as characterised by guidance LAQM TG16. They are listed in the sections below:

4.1 Road Traffic Sources

Argyll and Bute Council confirms that there are no roads or features in the following list that are new or newly identified that would require further assessment:

- Narrow congested streets with residential properties close to the kerb.
- Busy streets where people may spend one hour or more close to traffic.
- Roads with a high flow of buses and/or HGVs.
- Junctions.
- New roads constructed or proposed
- Roads with significantly changed traffic flows.
- Bus or coach stations.

4.2 Other Transport Sources

Argyll and Bute Council confirms that there none of the following that are new or newly identified that would warrant further assessment:

- Airports.
- Locations where diesel or steam trains are regularly stationary for periods of 15 minutes or more, with potential for relevant exposure within 15m.
- Locations with a large number of movements of diesel locomotives, and potential long-term relevant exposure within 30m.
- Ports for shipping.

4.3 Industrial Sources

Argyll and Bute Council confirms that there none of the following that are new or newly identified that would warrant further assessment:

- Industrial installations: new or proposed installations for which an air quality assessment has been carried out.
- Industrial installations: existing installations where emissions have increased substantially or new relevant exposure has been introduced.
- Industrial installations: new or significantly changed installations with no previous air quality assessment.

- Major fuel storage depots storing petrol.
- Petrol stations.
- Poultry farms.

4.4 Commercial and Domestic Sources

The biomass boiler listed in Table 4.1 was the subject of an assessment at the planning stage to determine the potential impact on sensitive receptors. The planning application was approved and the boiler is operational.

Table 4.1 Proposed Biomass Boilers >50kW

Site	Rating kW	Stack Height m	Building Height m	Effective Stack Height m	Stack Diameter m
Sgriob Farm Cheese Factory	300	7.7	6.7	1.7	0.20

The boiler listed in table 4.1 was assessed in accordance with the guidance contained in Box 5.8 LAQM.TG(09)⁴. Emission rates were estimated based on the maximum thermal capacity of the boiler and the emission factors provided for PM₁₀ and NO₂. Background concentrations for 2018 were obtained from the Scottish Air Quality Archive⁵. A summary of the results from the site is presented in Tables 4.2, 4.3 and 4.4. It should be noted that the PM₁₀ screening assessment has been made against the more stringent annual mean objective.

Table 4.2. Biomass boilers – assessment against annual mean PM₁₀ objective

Site	Adjusted emission rate g/s	Threshold emission rate g/s	Progress to detailed assessment?
Sgriob Farm Cheese Factory	0.0005	0.0022	No

Table 4.3. Biomass boilers – assessment against annual mean NO₂ objective

Site	Adjusted emission rate g/s	Threshold emission rate g/s	Progress to detailed assessment?
Sgriob Farm Cheese Factory	0.0004	0.0022	No

Table 4.4. Biomass boilers – assessment against 24 hour NO₂ objective

Site	Adjusted emission rate g/s	Threshold emission rate g/s	Progress to detailed assessment?
Sgriob Farm Cheese Factory	0.0030	0.0220	No

Using the guidance provided in LAQM.TG16⁶ it has been concluded that there are no areas considered to be at risk of objectives being exceeded due to cumulative impacts of multiple biomass/domestic combustion installations.

4.5 New Developments with Fugitive or Uncontrolled Sources

There are a number of new un-metalled access roads associated with forestry extraction or windfarm construction that are of a temporary nature and are hard surfaced with graded and rolled aggregate. These roads are of a standard suitable for road-going vehicles and are invariably remote, inherently damp and do not threaten to cause breaches of PM₁₀ or PM_{2.5} objectives. The Council does not propose to carry out individual assessments of these sources unless particular circumstances indicate that it would be appropriate.

5. Planning Applications

A planning application for a new distillery at Port Ellen, Islay is currently under consideration. The development includes a 5.6MW oil-fired boiler which will render it liable for regulation under the Medium Combustion Plant Directive. Should the application be approved, further details will be provided in the 2020 Annual Progress Report.

6. Conclusions and Proposed Actions

6.1 Conclusions from New Monitoring Data

The graphs in Figures 1 to 4 continue to show a long-term steady or falling trend in those areas monitored by nitrogen dioxide diffusion tubes and all sites are well below the annual mean objective. There is therefore no requirement to undertake a Detailed Assessment.

6.2 Conclusions relating to New Local Developments

Local developments warranting consideration for air quality impacts have included the installation of a biomass boiler at a cheese factory in an isolated rural area. The developments were screened for potential adverse air quality impact and it was concluded that air quality objectives would not be threatened and a further assessment was not required.

6.3 Proposed Actions

Argyll and Bute Council has reviewed the siting of diffusion tubes in its nitrogen dioxide monitoring network and determined that monitoring will be continued at all 10 existing sites. Exceedances or likely exceedances of objectives for any pollutant have not been identified. Results of monitoring and other air quality assessment work will be presented in the next Annual Progress Report due in June 2020.

Appendix A: Monitoring Results

Table A.1 – Details of Non-Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube collocated with a Continuous Analyser?
N1	George Street 1, Oban	Roadside	185921	729942	NO ₂	N	5	2	No
N2	George Street 2, Oban	Roadside	185880	730253	NO ₂	N	0	5	No
N3	George Street 3, Oban	Roadside	185870	730317	NO ₂	N	0	5	No
N4	Argyll Street, Dunoon	Roadside	217324	676894	NO ₂	N	6	3	No
N5	Main St, Campbeltown	Roadside	171970	620380	NO ₂	N	0	3	No
N6	Colchester Sq, Lochgilphead	Roadside	186280	687920	NO ₂	N	0	2	No
N7	Inverneil	Rural Background	184019	681303	NO ₂	N	3	N/A	No
N8	East Princes St, Helensburgh	Roadside	229919	682287	NO ₂	N	4	2	No

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube collocated with a Continuous Analyser?
N9	Main Road, Cardross	Roadside	234338	677717	NO ₂	N	6	2	No
N10	Sinclair Street Helensburgh	Roadside	229675	682442	NO ₂	N	0	3	No

0 if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).

N/A if not applicable.

The results for site N1 is laterally shifted from the nearest relevant exposure but at the same distance from the kerb. No correction is applied to results in Tables A1 & A2.

The results for sites N4, N8 and N9 in Table A.1 have been corrected as per the methodology in Technical Guidance (TG16)⁶

Figure 1. Graph of Annual NO2 trends – Oban, Lorn and Isles Area





Figure 2. Graph of Annual NO₂ trends – Bute and Cowal area

Figure 3. Graph of Annual NO₂ trends – Mid-Argyll, Kintyre and Islay Area




Figure 4 Graph of Annual NO₂ trends –Helensburgh and Lomond Area




Table A.2 – Annual Mean NO₂ Monitoring Results for 2018 at Nearest Receptor

Site ID	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2018 (%) ⁽²⁾	NO ₂ Annual Mean Concentration (µg/m ³) ⁽³⁾				
					2014	2015	2016	2017	2018
N1	Roadside	Diffusion Tube	100	100	20.7	20.8	18.5	21.1	20.1
N2	Roadside	Diffusion Tube	100	83	26.2	23.0	22.2	22.5	22.2
N3	Roadside	Diffusion Tube	100	83	22.4	23.3	21.3	22.5	20.8
N4 ⁽⁴⁾	Roadside	Diffusion Tube	100	83	12.9	12.5	12.4	12.1	12.1
N5	Roadside	Diffusion Tube	100	83	14.5	16.0	15.8	15.4	15.8
N6	Roadside	Diffusion Tube	100	92	14.7	18.1	15.1	17.8	13.5
N7	Rural B'ground	Diffusion Tube	100	92	1.8	1.9	2.1	2.1	2.1
N8 ⁽⁴⁾	Roadside	Diffusion Tube	100	92	11.2	10.9	10.2	10.8	9.9
N9 ⁽⁴⁾	Roadside	Diffusion Tube	100	83	11.0	11.1	10.3	10.7	11.2
N10	Roadside	Diffusion Tube	100	92	14.9	16.9	16.2	17.1	15.0

Notes: Exceedences of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

(1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) Means for diffusion tubes have been corrected for bias. All means have been “annualised” as per LAQM.TG(16) if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(4) The annual results for sites N4, N8 and N9 have been amended using the appropriate distance correction as per the methodology in Technical Guidance TG16

Appendix B: Full Monthly Diffusion Tube Results for 2018

Table B.1 – NO₂ Monthly Diffusion Tube Results for 2018

Site ID	NO ₂ Mean Concentrations (µg/m ³)													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean	
													Raw Data	Bias Adjusted (1)
N1	19.9	28.8	25.3	26.8	29.1	21.9	23.2	13.2	19.9	25.0	23.9	23.9	23.4	20.1
N2	23.9	24.3	30.7	30.9	29.9	17.8		15.5	29.3		25.6	29.8	25.8	22.2
N3	20.4	26.8	28.6	30.3	32.2	18.8		12.0	15.3		27.9	29.4	24.2	20.8
N4	14.9	16.4	21.7	15.2	18.7	13.7	13.1		9.1		16.5	20.0	15.9	13.7
N5	19.5	21.3	20.3	25.0		13.3	16.5	10.6	11.5		26.4	19.1	18.4	15.8
N6	16.2	16.6	21.1	17.9	11.7	13.8	15.6	10.6	14.9		17.2	17.3	15.7	13.5
N7	2.1	3.9		1.9	1.5	2.7	2.2	1.6	2.0	2.2	3.5	3.0	2.4	2.1
N8	12.4	19.1	11.2	11.3	11.3	10.8	9.4	9.0	10.8		14.7	19.9	12.7	10.9
N9	17.1	18.3	18.1	15.1	14.9	11.3	11.9		9.1		15.1	23.3	15.4	13.3
N10	13.3	20.1	24.3	17.9	18.1	15.3	16.9	8.3	16.1		17.5	24.2	17.5	15.0

(1) See Appendix C for details on bias adjustment

Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

Diffusion Tube Bias Adjustment Factors

Nitrogen dioxide diffusion tubes are supplied and analysed by Glasgow Scientific Services. The laboratory scored 100%, 100%, 50% and 100% in the 4 rounds of the AIR NO₂ PT assessment covering the period of the reported sampling results.

A bias adjustment factor was applied to the annual mean NO₂ concentrations for 2018. No local co-location studies in Argyll and Bute were available to produce bias adjustment factors. The factor of 0.86 was obtained from Spreadsheet Version databasediffusiontubebiasfactorsv0319final.xlsx³ downloaded from <http://laqm.defra.gov.uk/bias-adjustment-factors/national-bias.html>

QA/QC of diffusion tube monitoring

The NO₂ diffusion tubes are supplied and analysed by Glasgow Scientific Services and prepared by using 20% TEA in water. The duration of exposure is normally the 4/5 week period suggested by the calendar provided by Defra. Glasgow Scientific Services have adopted the procedures for preparation and analysis contained in the document "Diffusion Tubes for Ambient NO₂ Monitoring:- Practical Guidance." Section 3 of this document also provides the basis for the operation of the Council's diffusion tube network.

Appendix D: Maps

Figure 5 Map of Population Distribution & A Roads




Figure 6 Map of Major Settlements and Population



Figure 7 Map of Transport Routes



Figure 8 Map of Modelled Background NO₂ Annual Mean Concentration




Figure 9 Map of Modelled Background PM₁₀ Annual Mean Concentration




Figure 10 Map of Modelled Background PM_{2.5} Annual Mean Concentration




Figure 11 Map of Monitoring Locations




Figure 12 Map of Diffusion Tube Sites, Oban Town Centre



Figure 13 Map of Diffusion Tube Sites, Helensburgh Town Centre



Figure 14 Map of SEPA Permitted Process Sites



Glossary of Terms

Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the LA intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
APR	Air quality Annual Progress Report
AURN	Automatic Urban and Rural Network (UK air quality monitoring network)
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England
LAQM	Local Air Quality Management
NO ₂	Nitrogen Dioxide
NO _x	Nitrogen Oxides
PM ₁₀	Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less
PM _{2.5}	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
QA/QC	Quality Assurance and Quality Control
SO ₂	Sulphur Dioxide

References

- (1) <http://www.scotland.gov.uk/Topics/Statistics/About/Methodology/UrbanRuralClassification>
- (2) Argyll and Bute Council, 2018 Air Quality Annual Progress Report, June 2018
- (3) <http://laqm.defra.gov.uk/bias-adjustment-factors/national-bias.html>
- (4) Defra in partnership with the devolved administrations, Technical Guidance LAQM.TG(09), February 2009
- (5) <http://www.scottishairquality.co.uk/data/mapping?view=data>
- (6) Defra in partnership with the devolved administrations, Technical Guidance LAQM.TG(16), April 2016
- (7) Argyll and Bute Council. Online access to planning applications is available at <http://publicaccess.argyll-bute.gov.uk/online-applications/>
- (8) Argyll and Bute Council. Local development Plan. https://www.argyll-bute.gov.uk/sites/default/files/written_statement_0.pdf
- (9) Argyll and Bute Council. Economic Strategy. https://www.argyll-bute.gov.uk/sites/default/files/economic_strategy10_05.pdf