



2013 Air Quality Progress Report for West Dunbartonshire Council

In fulfillment of Part IV of the
Environment Act 1995
Local Air Quality Management

April 2013

Local Authority Officer	Graham Pollock
Department	Corporate Services
Address	Council Offices Rosebery Place, Clydebank G81 1TG
Telephone	01389 738291
e-mail	Environmental.health@west-dunbarton.gov.uk
Report Reference number	
Date	April 2013

Executive Summary

This report fulfils the requirements of the Local Air Quality Management process as set out in Part IV of the Environment Act 1995, the Air Quality Strategy for England, Scotland, Wales and Northern Ireland 2007 and the relevant Policy and Technical Guidance documents. It represents West Dunbartonshire Council's latest Progress Report. Results from monitoring in the Council area are presented and any potentially significant sources of air pollution are identified. The Progress Report evaluates those changes since the last assessment which could lead to the risk of an air quality objective being exceeded.

Monitoring carried out in the area during 2012 has not identified any exceedences of Nitrogen Dioxide (NO₂) objectives. Due to equipment failure it is not possible to provide an update with regard to the PM₁₀ levels in the Council area during 2012. The Progress Report has not identified any significant changes in emission sources within the Council area. There have been no new relevant industrial installations and no new or substantially altered roads within the Council area. There are also no new significant commercial, domestic or fugitive sources of emissions.

The main findings of the 2013 Progress Report are summarised below.

Nitrogen Dioxide (NO₂)

Real Time Monitoring

West Dunbartonshire Council has two automatic monitoring stations. The location of these units has not changed since the 2012 Update and Screening Assessment.

1. Dumbarton Roadside

This unit was affiliated into the national network (AURN) during 2010.

The ratified data from AEA confirms an annual mean of 27µg/m³. However there was only 46% data capture therefore an annualised mean of 22.6µg/m³ for 2012 was calculated. There were no exceedences of the hourly mean.

2. West Dunbartonshire, Clydebank (Kilbowie Roundabout).

The ratified data from AEA confirms an annual mean of $24\mu\text{g}/\text{m}^3$ for 2012. There were no exceedences of the hourly mean.

NO₂ Diffusion Tubes

There were 24 NO₂ diffusion tubes (excluding co-located triplicates) at various sites within the West Dunbartonshire Council area during 2012.

During that time one of these tubes – Milton 1 - breached the National Air Quality Objective for NO₂. This exceedence is fully discussed further on in this report.

No other diffusion tube breached the National Air Quality Objective for NO₂.

West Dunbartonshire Council concludes that there is no need to proceed to Detailed Assessment in respect of Nitrogen Dioxide.

PM₁₀

The TEOM/FDMS located at West Dunbartonshire Clydebank was non-operational during almost all of 2012. Data recorded after January 2012 has been rejected by AEA. The service/maintenance contractor as yet has been unable to repair the unit despite numerous visits and replacement of parts.

West Dunbartonshire Council are therefore unable to report on PM₁₀ levels in its area.

Conclusion

National Air Quality Objectives were not exceeded in 2012 in the West Dunbartonshire Council area. There is therefore no need to proceed to Detailed Assessment for any objective.

West Dunbartonshire Council will complete a Progress Report in 2014.

Table of Contents

1	Introduction	6
1.1	Description of Local Authority Area	6
1.2	Purpose of Progress Report	7
1.3	Air Quality Objectives	7
1.4	Summary of Previous Review and Assessments	9
2	New Monitoring Data	10
2.1	Summary of Monitoring Undertaken	10
2.2	Comparison of Monitoring Results with Air Quality Objectives	17
3	New Local Developments	30
4	Planning Applications	31
5	Local Transport Plans and Strategies	32
6	Climate Change Strategies	33
7	Conclusions and Proposed Actions	34
7.1	Conclusions from New Monitoring Data	34
7.2	Conclusions relating to New Local Developments	34
7.3	Other Conclusions	34
7.4	Proposed Actions	34
8	References	35

List of Tables

Table 1.1	Air Quality Objectives included in Regulations for the purpose of Local Air Quality Management in Scotland
Table 2.1	Details of Automatic Monitoring Sites
Table 2.2	Details of Non- Automatic Monitoring Sites
Table 2.3	Results of Automatic Monitoring for NO ₂ : Comparison with Annual Mean Objective
Table 2.4	Results of Automatic Monitoring for NO ₂ : Comparison with 1-hour Mean Objective
Table 2.5	Results of NO ₂ Diffusion Tubes 2012
Table 2.6	Results of NO ₂ Diffusion Tubes (2008 to 2012)

List of Figures

Figure 2.3	Trends in Annual Mean NO ₂ Concentrations Measured at Automatic Monitoring Sites
Figure 2.4	Trends in Annual Mean Nitrogen Dioxide Concentrations Measured at Diffusion Tube Monitoring Sites

Appendices

Appendix A - QA/QC Data
Appendix B - Dumbarton Roadside Automatic Monitor
Appendix C - West Dunbartonshire Clydebank Automatic Monitor
Appendix D - Clydebank NO ₂ Diffusion Tube Locations
Appendix E - Dumbarton NO ₂ Diffusion Tube Monitoring Locations
Appendix F - Vale of Leven Diffusion Tube Locations
Appendix G - Key for NO ₂ diffusion tube monitoring locations
Appendix H - Completed bias spreadsheets used to derive local bias
Appendix I - AEA Pollution Report for Dumbarton Roadside
Appendix J - AEA Pollution Report for West Dunbartonshire, Clydebank
Appendix K - 2012 Monthly NO ₂ diffusion tube results

1 Introduction

1.1 Description of Local Authority Area

West Dunbartonshire Council is the 4th smallest Scottish Council in terms of land area covering 17,792 hectares. Population is mid placed in the table of 32 Councils at approximately 96,000 in 43,000 households.

The Authority comprises two main areas:

Clydebank situated on the north of the River Clyde. Almost half the population of West Dunbartonshire Council lives in the Clydebank area giving it a population density level similar to large cities;

Dumbarton and the Vale of Leven are less densely populated areas extending along the banks of the River Leven to Loch Lomond.

The dominant landscape is moorland alongside rolling farmlands and rugged hills and ridges. West Dunbartonshire is widely recognised as containing some of the finest lowland countryside in Scotland. Although West Dunbartonshire is not a particularly agricultural area, a high proportion of the area is classed as open countryside. Contrastingly the level of urban development is significantly higher than the Scottish average. The area has the highest proportion of fresh water in Scotland, much of it of very high quality.

1.2 Purpose of Progress Report

This report fulfils the requirements of the Local Air Quality Management process as set out in Part IV of the Environment Act (1995), the Air Quality Strategy for England, Scotland, Wales and Northern Ireland 2007 and the relevant Policy and Technical Guidance documents. The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where exceedences are considered likely, the local authority must then declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives.

Progress Reports are required in the intervening years between the three-yearly Updating and Screening Assessment reports. Their purpose is to maintain continuity in the Local Air Quality Management process.

They are not intended to be as detailed as Updating and Screening Assessment Reports, or to require as much effort. However, if the Progress Report identifies the risk of exceedence of an Air Quality Objective, the Local Authority (LA) should undertake a Detailed Assessment immediately, and not wait until the next round of Review and Assessment.

1.3 Air Quality Objectives

The air quality objectives applicable to LAQM in **Scotland** are set out in the Air Quality (Scotland) Regulations 2000 (Scottish SI 2000 No 97), the Air Quality (Scotland) (Amendment) Regulations 2002 (Scottish SI 2002 No 297), and are shown in Table 1.1. This table shows the objectives in units of microgrammes per cubic metre $\mu\text{g}/\text{m}^3$ (milligrammes per cubic metre, mg/m^3 for carbon monoxide) with the number of exceedences in each year that are permitted (where applicable).

Table 1.1 Air Quality Objectives included in Regulations for the purpose of LAQM in Scotland

Pollutant	Air Quality Objective		Date to be achieved by
	Concentration	Measured as	
Benzene	16.25 $\mu\text{g}/\text{m}^3$	Running annual mean	31.12.2003
	3.25 $\mu\text{g}/\text{m}^3$	Running annual mean	31.12.2010
1,3-Butadiene	2.25 $\mu\text{g}/\text{m}^3$	Running annual mean	31.12.2003
Carbon monoxide	10 mg/m^3	Running 8-hour mean	31.12.2003
Lead	0.50 $\mu\text{g}/\text{m}^3$	Annual mean	31.12.2004
	0.25 $\mu\text{g}/\text{m}^3$	Annual mean	31.12.2008
Nitrogen dioxide	200 $\mu\text{g}/\text{m}^3$ not to be exceeded more than 18 times a year	1-hour mean	31.12.2005
	40 $\mu\text{g}/\text{m}^3$	Annual mean	31.12.2005
Particulate Matter (PM_{10}) (gravimetric)	50 $\mu\text{g}/\text{m}^3$, not to be exceeded more than 7 times a year	24-hour mean	31.12.2010
	18 $\mu\text{g}/\text{m}^3$	Annual mean	31.12.2010
Sulphur dioxide	350 $\mu\text{g}/\text{m}^3$, not to be exceeded more than 24 times a year	1-hour mean	31.12.2004
	125 $\mu\text{g}/\text{m}^3$, not to be exceeded more than 3 times a year	24-hour mean	31.12.2004
	266 $\mu\text{g}/\text{m}^3$, not to be exceeded more than 35 times a year	15-minute mean	31.12.2005

1.4 Summary of Previous Review and Assessments

Report	Date	Outcome
Stage 1	1999	Proceed to Stage 2
Stage 2	2002	Continue monitoring until 2003 and report further
Update And Screening Assessment	2003	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2004	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2005	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Update And Screening Assessment	2006	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2007	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2008	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Update And Screening Assessment	2009	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2010	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Progress Report	2011	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment
Update and Screening Assessment	2012	National Air Quality Objectives continued to be met therefore no need to proceed to detailed assessment

No exceedences of National Air Quality Objectives were identified during previous rounds of review and assessment in the West Dunbartonshire Council area.

West Dunbartonshire Council has not declared an Air Quality Management Area.

2 New Monitoring Data

2.1 Summary of Monitoring Undertaken

2.1.1 Automatic Monitoring Sites

West Dunbartonshire Council has two automatic monitoring stations. Their location remains unchanged since the 2012 Update and Screening Assessment. Location maps are included as Appendices B & C.

1. Dumbarton Roadside

This unit, which contains a real time chemiluminescent NO_x analyser, was moved to the A814 (Glasgow Road, Dumbarton at its junction with Leven Street) in April 2007. This unit was affiliated into the national network (AURN) during 2010. In February 2012 the Horiba NO_x unit was replaced by a Casella ML2041.

2. West Dunbartonshire, Clydebank

This unit houses a real time chemiluminescent NO_x analyser and a TEOM fitted with a Type C FDMS. This unit is located at Kilbowie Roundabout which is the busiest junction in the West Dunbartonshire Council area. This unit has been located here since February 2007.

Details of QA/QC procedures for both automatic monitors are included as Appendix A in this report

Figure 2.1 Map(s) of Automatic Monitoring Sites (if applicable)

See Appendices B & C

Table 2.1 Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Reference	Y OS Grid Reference	Inlet Height (m)	Pollutants Monitored	In AQMA?	Monitoring Technique	Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure)	Distance to Kerb of Nearest Road (m) (N/A if not applicable)	Does this Location Represent Worst-Case Exposure?
A1	Glasgow Road, Dumbarton (Dumbarton Roadside)	Roadside	240238	675193	2.0	NOx	N	Chemiluminescent ML2014	Y*(2.5)	5.0	N
A2	West Dunbartonshire, Clydebank	Roadside	249723	672044	2.0	NOx PM ₁₀	N	Chemiluminescent Analyser TEOM/FDMS (Type C)	N(18)	25.0	N

* This unit sits 5m back from kerb due to location difficulties. Nearest relevant exposure are residential properties 2.5 metres from kerb

Non-Automatic Monitoring Sites

West Dunbartonshire Council had 24 NO₂ diffusion tubes distributed throughout the Council area during 2012 (excluding co-located triplicates). This is unchanged since the 2012 Update and Screening Assessment.

NO₂ tubes are supplied and analysed by Glasgow Scientific Services (GSS). The tube preparation method used by GSS is 20% triethanolamine (TEA) in water. The tubes are used in accordance with the report "Diffusion Tube for Ambient NO₂ Monitoring: Practical Guidance for Laboratories and Users: Report to DEFRA and the Devolved Administrations: ED48673043: Issue 1a: February 2008.

Full QA/QC procedures for GSS are included in Appendix A. GSS participates in the Workplace Analysis Scheme.

Bias Adjustment Factor and Co-location Exercise

All NO₂ diffusion tube results have been bias adjusted using the 2012 factor of 0.95 obtained from the Review and Assessment website. A co-location exercise was undertaken at both automatic monitoring sites. Details are included in Appendix A.

Figure 2.2 Map(s) of Non-Automatic Monitoring Sites (if applicable)

See appendices D, E and F

Table 2.2 Details of Non- Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Reference	Y OS Grid Reference	Site Height (m)	Pollutants Monitored	In AQMA?	Is Monitoring Co-located with a Continuous Analyser (Y/N)	Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure)	Distance to Kerb of Nearest Road (m) (N/A if not applicable)	Does this Location Represent Worst-Case Exposure?
T1	Clydebank 1	Roadside	248479	671115	2.5	NO ₂	N	N	Y	4m	Y
T2	Clydebank 6	Kerbside	249725	672069	2.5	NO ₂	N	N	N(40)	1m	Y
T3	Dumbarton 1	Roadside	240322	675177	2.5	NO ₂	N	N	N (2.5)	1m	Y
T4	Dumbarton 11	Roadside	240515	675078	2.5	NO ₂	N	N	N (4)	1m	Y
T5	Balloch 1	Kerbside	238584	681562	2.5	NO ₂	N	N	N	12m	Y
T6	Alexandria 1	Kerbside	239024	680206	2.5	NO ₂	N	N	N(5)	1m	Y
T7	Briar Drive, Triplicate 1	Roadside	249723	672044	2.5	NO ₂	N	Y	N/A	25m	N/A
T8	Briar Drive, Triplicate 2	Roadside	249723	672044	2.5	NO ₂	N	Y	N/A	25m	N/A
T9	Briar Drive, Triplicate 3	Roadside	249723	672044	2.5	NO ₂	N	Y	N/A	25m	N/A

West Dunbartonshire Council

Site ID	Site Name	Site Type	X OS Grid Reference	Y OS Grid Reference	Site Height (m)	Pollutants Monitored	In AQMA?	Is Monitoring Co-located with a Continuous Analyser (Y/N)	Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure)	Distance to Kerb of Nearest Road (m) (N/A if not applicable)	Does this Location Represent Worst-Case Exposure?
T10	Dumbarton, Triplicate 1	Roadside	240238	675193	2.5	NO ₂	N	Y	N/A	5m	N/A
T11	Dumbarton, Triplicate 2	Roadside	240238	675193	2.5	NO ₂	N	Y	N/A	5m	N/A
T12	Dumbarton, Triplicate 3	Roadside	240238	675193	2.5	NO ₂	N	Y	N/A	5m	N/A
T13	Milton 1	Kerbside	242266	674235	2.5	NO ₂	N	N	N (12)	1m	Y
T14	Milton 2	Roadside	242160	674299	2.5	NO ₂	N	N	N (2m)	12m	N
T15	Glasgow Rd, Dumbarton 2	Roadside	240178	675228	2.5	NO ₂	N	N	N (8)	1m	Y
T16	Glasgow Rd, Dumbarton 3	Roadside	240279	675196	2.5	NO ₂	N	N	N (4.5)	1m	Y
T17	Clydebank 7	Roadside	249913	669865	2.5	NO ₂	N	N	N (4)	1m	Y
T18	Clydebank 9	Kerbside	248899	670784	2.5	NO ₂	N	N	N (3)	1m	Y

West Dunbartonshire Council

Site ID	Site Name	Site Type	X OS Grid Reference	Y OS Grid Reference	Site Height (m)	Pollutants Monitored	In AQMA?	Is Monitoring Co-located with a Continuous Analyser (Y/N)	Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure)	Distance to Kerb of Nearest Road (m) (N/A if not applicable)	Does this Location Represent Worst-Case Exposure?
T19	Clydebank 10	Kerbside	249759	671845	2.5	NO ₂	N	N	N (8.5)	1m	Y
T20	Clydebank 11	Roadside	249801	672288	2.5	NO ₂	N	N	N (22)	1m	Y
T21	Clydebank 12	Kerbside	249747	671665	2.5	NO ₂	N	N	N (10)	1m	Y
T22	Clydebank 13	Kerbside	249762	671790	2.5	NO ₂	N	N	N (8.5)	1m	Y
T23	Clydebank 14	Kerbside	249872	671854	2.5	NO ₂	N	N	N (>25)	1m	N
T24	Clydebank 15	Kerbside	249746	671966	2.5	NO ₂	N	N	N (8.5)	1m	Y
T25	Clydebank 16	Kerbside	249967	672548	2.5	NO ₂	N	N	N (10)	1m	Y
T26	Clydebank 17	Kerbside	249987	672440	2.5	NO ₂	N	N	N (11)	1m	Y
T27	Clydebank 18	Kerbside	249972	672351	2.5	NO ₂	N	N	N (12)	1m	Y
T28	Vale of Leven 3	Roadside	240115	677146	2.5	NO ₂	N	N	N(>25)	4m	Y

West Dunbartonshire Council

Site ID	Site Name	Site Type	X OS Grid Reference	Y OS Grid Reference	Site Height (m)	Pollutants Monitored	In AQMA?	Is Monitoring Co-located with a Continuous Analyser (Y/N)	Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure)	Distance to Kerb of Nearest Road (m) (N/A if not applicable)	Does this Location Represent Worst-Case Exposure?
T29	Vale of Leven 4	Kerbside	240164	677014	2.5	NO ₂	N	N	N (>25)	1m	Y
T30	Dumbarton 12	Kerbside	239410	675330	2.5	NO ₂	N	N	N (7)	1m	Y

2.2 Comparison of Monitoring Results with Air Quality Objectives

2.2.1 Nitrogen Dioxide (NO₂)

West Dunbartonshire Council monitoring results have shown that there was no exceedence of the National Air Quality Objectives for NO₂ during 2012.

Automatic Monitoring Data

West Dunbartonshire Council has two automatic NO_x monitoring stations. During 2012 they were located as detailed below. Neither station breached the National Air Quality Objectives for NO₂. Location maps for each unit are included as Appendices B and C.

Dumbarton Roadside

This unit contains a real time chemiluminescent NO_x analyser and was moved to the A814 (Glasgow Rd, Dumbarton at its junction with Leven Street) in April 2007. The unit is located 5 metres from the kerbside. This unit was affiliated into the national network (AURN) during 2010. In February 2012 the Horiba unit was replaced by a Casella ML 2041.

The ratified data from AEA indicates that the annual average NO₂ level for 2012 was 27µg/m³. As there was only 46% data capture from this unit the result was annualised using the method shown in Box 3.2 in TG (09). The annualised result for 2012 is 22.9µg/m³. Details are included in Appendix A.

There were no exceedences of the hourly mean objective during 2012. The nearest receptors are residential properties located 2.5m from the roadside. The NO₂ Distance Calculator on the R&A web site was used to predict the NO₂ levels at the nearest receptors which are 2.5 metres closer to the roadside than the automatic monitor. The calculator predicted NO₂ levels at the façade of the nearest residential property of 24.3µg/m³.

West Dunbartonshire, Clydebank (Kilbowie Roundabout)

This unit houses a real time chemiluminescent NO_x analyser and a TEOM fitted with a Type C FDMS. It has been located there since February 2007. Kilbowie Roundabout is the busiest junction within the West Dunbartonshire Council area. The unit is located approximately 25 metres from the roundabout. The ratified data from AEA indicates that the annual average NO₂ level for 2012 was 24µg/m³. There were no exceedences of the hourly mean objective during 2012. The nearest receptors are residential properties located just over 40 metres from the roundabout.

Table 2.3 Results of Automatic Monitoring for NO₂: Comparison with Annual Mean Objective

Site ID	Site Type	Within AQMA?	Valid Data Capture for Monitoring Period % ^a	Valid Data Capture 2012 % ^b	Annual Mean Concentration (µg/m ³)				
					2008* ^c	2009* ^c	2010* ^c	2011* ^c	2012 ^c
A1	Roadside	N	99.4	99.4	24	26	26	21	24
A2	Roadside	N	46.1	46.1	19	23	27	19	22.9 ^c

C – Figure annualised in accordance with Box 3.2 in TG (09)


Figure 2.3 Trends in Annual Mean NO₂ Concentrations Measured at Automatic Monitoring Sites

Table 2.4 Results of Automatic Monitoring for NO₂: Comparison with 1-hour Mean Objective

Site ID	Site Type	Within AQMA?	Valid Data Capture for Monitoring Period % ^a	Valid Data Capture 2012 % ^b	Number of Hourly Means > 200µg/m ³				
					2008* ^c	2009* ^c	2010* ^c	2011* ^c	2012 ^c
A1	Roadside	N	99.4	99.4	0	0	0	0	0
A2	Roadside	N	46.1	46.1	0	0	0	0	0(143 ^c)

^c If the data capture for full calendar year is less than 90%, include the 99.8th percentile of hourly means in brackets

Diffusion Tube Monitoring Data

West Dunbartonshire Council monitored NO₂ using diffusion tubes at 24 locations (excluding co-located triplicates) throughout the Council area during 2012.

All results have been bias adjusted using a factor of 0.95 based on information from the Review and Assessment website.

One of the monitored locations – Milton 1 - was found to exceed the National Air Quality Objective for NO₂. This result is discussed below.

Milton 1 – bias adjusted annual average of 51.7µg/m³.

This tube is located at the Dumbuck traffic light junction on the A82. The A82 is the main trunk road access to the West of Scotland and is the busiest road within the Council area. It is not possible to locate an automatic monitor at the location as there is no suitable site.

The nearest receptors are residential properties located approximately 12 metres back from the kerb. An additional diffusion tube was placed in the front garden of one of the houses approximately 5 metres from the front façade to obtain data regarding NO₂ levels at the residences. The tube, designated Milton 2, has been at this site since 2008. The 2012 bias adjusted annual mean for Milton 2 was 21.1µg/m³. The NO₂ Distance Calculator from the Air Quality Archive web site was used to predict NO₂ levels at the residences based on the results of Milton 1 diffusion tube. The calculator predicted the NO₂ levels at the residences to be 25.4µg/m³ which although slightly higher than the Milton 2 diffusion tube result remains within the National Air Quality Objective for NO₂. There is therefore no need to proceed to Detailed Assessment at this location.

Table 2.5 Results of NO₂ Diffusion Tubes 2012

Site ID	Location	Site Type	Within AQMA?	Triplicate or Co-located Tube	Full Calendar Year Data Capture 2012 (Number of Months or %) ^a	2012 Annual Mean Concentration (µg/m ³) - Bias Adjustment factor = 0.95 ^b
T1	Clydebank 1	Roadside	N	N	11	30.9
T2	Clydebank 6	Kerbside	N	N	12	36.2
T3	Dumbarton 1	Roadside	N	N	12	27.9
T4	Dumbarton 11	Roadside	N	N	10	33.9
T5	Balloch 1	Kerbside	N	N	12	24.6
T6	Alexandria 1	Kerbside	N	N	11	25.7
T7	Briar Drive, Triplicate 1	Roadside	N	Triplicate and co-located	12	23.9
T8	Briar Drive, Triplicate 2	Roadside	N	Triplicate and co-located	12	25.2
T9	Briar Drive, Triplicate 3	Roadside	N	Triplicate and co-located	12	26.9
T10	Dumbarton, Triplicate 1	Roadside	N	Triplicate and co-located	12	20.3
T11	Dumbarton, Triplicate 2	Roadside	N	Triplicate and co-located	11	23.3
T12	Dumbarton, Triplicate 3	Roadside	N	Triplicate and co-located	11	21.1
T13	Milton 1	Kerbside	N	N	10	51.7

West Dunbartonshire Council

Site ID	Location	Site Type	Within AQMA?	Triplicate or Co-located Tube	Full Calendar Year Data Capture 2012 (Number of Months or %) ^a	2012 Annual Mean Concentration ($\mu\text{g}/\text{m}^3$) - Bias Adjustment factor = 0.95 ^b
T14	Milton 2	Roadside	N	N	12	21.1
T15	Glasgow Rd, Dumbarton 2	Roadside	N	N	12	34.6
T16	Glasgow Rd, Dumbarton 3	Roadside	N	N	11	32.6
T17	Clydebank 7	Roadside	N	N	12	28.9
T18	Clydebank 9	Kerbside	N	N	12	25.3
T19	Clydebank 10	Kerbside	N	N	12	27.9
T20	Clydebank 11	Roadside	N	N	12	25
T21	Clydebank 12	Kerbside	N	N	12	26.2
T22	Clydebank 13	Kerbside	N	N	12	25.2
T23	Clydebank 14	Kerbside	N	N	10	17.2
T24	Clydebank 15	Kerbside	N	N	11	28.4
T25	Clydebank 16	Kerbside	N	N	12	22.9
T26	Clydebank 17	Kerbside	N	N	11	25.4

West Dunbartonshire Council

Site ID	Location	Site Type	Within AQMA?	Triplicate or Co-located Tube	Full Calendar Year Data Capture 2012 (Number of Months or %) ^a	2012 Annual Mean Concentration ($\mu\text{g}/\text{m}^3$) - Bias Adjustment factor = 0.95 ^b
T27	Clydebank 18	Kerbside	N	N	9	29.4
T28	Vale of Leven 3	Roadside	N	N	12	23.1
T29	Vale of Leven 4	Kerbside	N	N	12	22
T30	Dumbarton 12	Kerbside	N	N	12	20.5

In bold, exceedence of the NO₂ annual mean AQS objective of 40 $\mu\text{g}/\text{m}^3$


Table 2.6 Results of NO₂ Diffusion Tubes (2008 to 2012)

Site ID	Site Type	Within AQMA?	Annual Mean Concentration (µg/m ³) - Adjusted for Bias ^a				
			2008 (Bias Adjustment Factor = 0.97)	2009 (Bias Adjustment Factor = 1.23)	2010 (Bias Adjustment Factor = 1.1)	2011 (Bias Adjustment Factor = 0.94)	2012 (Bias Adjustment Factor = 0.95)
T1	Roadside	N	33	38	32	32.8	30.9
T2	Kerbside	N	38	42	43	31.9	36.2
T3	Roadside	N	33	32	36	26.1	27.9
T4	Roadside	N	37	35	36	35.2	33.9
T5	Kerbside	N	21	31	30	23.5	24.6
T6	Kerbside	N	28	36	30	29	25.7
T7	Roadside	N	25	27	28	20.4	23.9
T8	Roadside	N	23	28	26	26.5	25.2
T9	Roadside	N	24	29	29	22.9	26.9
T10	Roadside	N	22	23	27	22.1	20.3
T11	Roadside	N	22	23	25.5	22.3	23.3
T12	Roadside	N	22	25	26	22.6	21.1
T13	Kerbside	N	63	60	54	51.6	51.7
T14	Roadside	N	24	30	25	28.8	21.1
T15	Roadside	N	35	36	35	31	34.6
T16	Roadside	N	35	39	42	33.3	32.6

Site ID	Site Type	Within AQMA?	Annual Mean Concentration ($\mu\text{g}/\text{m}^3$) - Adjusted for Bias ^a				
			2008 (Bias Adjustment Factor = 0.97)	2009 (Bias Adjustment Factor = 1.23)	2010 (Bias Adjustment Factor = 1.1)	2011 (Bias Adjustment Factor = 0.94)	2012 (Bias Adjustment Factor = 0.95)
T17	Roadside	N	N/A	28	37	30.9	28.9
T18	Kerbside	N	N/A	29	27	28.9	25.3
T19	Kerbside	N	N/A	34	39	29.1	27.9
T20	Roadside	N	N/A	27	28	28.3	25
T21	Kerbside	N	N/A	34	30	24.1	26.2
T22	Kerbside	N	N/A	41	41	27	25.2
T23	Kerbside	N	N/A	38	19	16.8	17.2
T24	Kerbside	N	N/A	34	30	24.3	28.4
T25	Kerbside	N	N/A	31	26	29.2	22.9
T26	Kerbside	N	N/A	29	28	30.9	25.4
T27	Kerbside	N	N/A	30	28	28.4	29.4
T28	Roadside	N	N/A	32	26	25.1	23.1
T29	Kerbside	N	N/A	32	23	28.1	22
T30	Kerbside	N	N/A	25	25	21.7	20.5

In bold, exceedence of the NO₂ annual mean AQS objective of 40 $\mu\text{g}/\text{m}^3$

Figure 2.4 Trends in Annual Mean Nitrogen Dioxide Concentrations Measured at Diffusion Tube Monitoring Sites



2.2.2 Particulate Matter (PM₁₀)

At the beginning of 2012 the TEOM/FDMS at the site designated West Dunbartonshire, Clydebank began returning faulty data. The problem was reported to the service/maintenance contractor who attended and ordered spare parts. Once installed the new parts did not remedy the fault and despite many visits by the engineers and the installation of replacement parts the unit continued to return faulty data for the rest of the year. AEA have advised that the data recorded during 2012 cannot be used. Therefore West Dunbartonshire Council is unable to report on PM₁₀ levels in its area during 2012. Attempts to repair the unit are still taking place.

Figure 2.5 Trends in Annual Mean PM₁₀ Concentrations

As no data was available from the TEOM/FDMS an update to last years trend chart is not possible.

2.2.3 Sulphur Dioxide (SO₂)

West Dunbartonshire Council does not carry out monitoring of sulphur dioxide.

2.2.4 Benzene

West Dunbartonshire Council does not carry out monitoring of benzene.

2.2.5 Other Pollutants Monitored

West Dunbartonshire Council does not carry out monitoring of any other pollutant.

2.2.6 Summary of Compliance with AQS Objectives

West Dunbartonshire Council has examined the results from monitoring in the district. Concentrations are all below the objectives, therefore there is no need to proceed to a Detailed Assessment.

3 New Local Developments

West Dunbartonshire Council confirms that there are no new or newly identified local developments which may have an impact on air quality within the Local Authority area.

West Dunbartonshire Council confirms that all the following have been considered:

- **Road traffic sources**
- **Other transport sources**
- **Industrial sources**
- **Commercial and domestic sources**
- **New developments with fugitive or uncontrolled sources.**

4 Planning Applications

In February 2012 approval was granted in respect of a planning application to build a new secondary school in Dumbarton. The Environmental Health Section had provided comments to the Planning Department in respect of the planning application. One of the comments was a request that the applicant be advised to contact the Environmental Health Section as early as possible if biomass was being considered. The request was not forwarded to the applicant by the Planning Section and the Environmental Health Section found out in February 2013 that a biomass boiler was being installed in the new school. Discussions are ongoing with regard to the matter and the biomass boiler will be considered in the next Update and Screening Assessment.

5 Local Transport Plans and Strategies

West Dunbartonshire Council have recently completed a consultation exercise for its Local Transport Strategy 2013 -2018. It is hoped that the final document will be available soon.

6 Climate Change Strategies

The Council is actively working towards reducing its greenhouse gas emissions and dealing with the impacts of climate change. The recently published Climate Change Strategy outlined the following aims:

- A significant reduction in greenhouse gas emissions from Council operations, and from the Council area as a whole (from homes and business);
- Ensure the Council, and its partners, are better prepared to deal with the current and future impacts/consequences of climate change;
- Identify ongoing activity that contributes to climate change mitigation and adaptation and develop new policy and action to address any gaps in our approach;
- Embed climate change mitigation and adaptation action throughout the organisation to ensure it becomes integral to the operation of the Council;

The Council has also produced a Carbon Management Plan which focuses on reducing carbon emissions from the Council's own activities or other areas over which it has direct control. It outlines a range of projects to reduce carbon emissions, from energy efficiency to alternative fuel vehicles, waste minimisation, and awareness raising and training programmes. This Plan set a target of reducing emissions by one-third by 2015.

7 Conclusions and Proposed Actions

7.1 Conclusions from New Monitoring Data

West Dunbartonshire Council has not identified any exceedences of the National Air Quality Objectives in its area during 2012.

7.2 Conclusions relating to New Local Developments

The proposed biomass boiler in the new West Dunbartonshire Council school will require to be considered in the next Update and Screening Assessment.

7.3 Other Conclusions

None applicable

7.4 Proposed Actions

The monitoring data for 2012 has not identified a need to proceed to Detailed Assessment. There are no proposed changes to the monitoring programme nor is any additional monitoring required.

West Dunbartonshire Council will submit a Progress Report in 2014.

8 References

Local Air Quality Management Technical Guidance (TG09)
The Environment Act 1995
The Air Quality (Scotland) Regulations 2000
The Air Quality (Scotland) (Amendment) Regulations 2002
West Dunbartonshire Council Update and Screening Assessment 2012
West Dunbartonshire Council Air Quality Progress Report 2011
West Dunbartonshire Council Air Quality Progress Report 2010
West Dunbartonshire Council Update and Screening Assessment 2009
West Dunbartonshire Council Air Quality Progress Report 2008
West Dunbartonshire Council Air Quality Progress Report 2007
West Dunbartonshire Council Update and Screening Assessment 2006
West Dunbartonshire Council Air Quality Progress Report 2005
West Dunbartonshire Council Air Quality Progress Report 2004

Appendices

Appendix A - QA/QC Data

Appendix B - Dumbarton Roadside Automatic Monitor

Appendix C - West Dunbartonshire Clydebank Automatic Monitor

Appendix D - Clydebank NO₂ Diffusion Tube Locations

Appendix E - Dumbarton NO₂ Diffusion Tube Monitoring Locations

Appendix F - Vale of Leven Diffusion Tube Locations

Appendix G - Key for NO₂ diffusion tube monitoring locations

Appendix H - Completed bias spreadsheets used to derive local bias

Appendix I - AEA Pollution Report for Dumbarton Roadside

Appendix J - AEA Pollution Report for West Dunbartonshire, Clydebank

Appendix K - 2012 Monthly NO₂ diffusion tube results

Appendix A: QA: QC Data

Diffusion Tube Bias Adjustment Factors

Factor from Local Co-location Studies (if available)

Local bias adjustment figure based on data from the real-time chemiluminescent NO_x analysers designated Dumbarton Roadside and West Dunbartonshire Clydebank and their triplicate co-located NO₂ diffusion tubes were derived using the spreadsheet on the R&A website. The completed spreadsheets were submitted to the R&A website. The Glasgow Road, Dumbarton automatic monitor is part of the Automatic Urban and Rural Network (AURN) and as such is subject to the highest QA/QC procedures (see below for details). Copies of the completed co-location spreadsheets are included as Appendix H.

The locally derived bias adjustment factors for 2012 were 0.94 for Dumbarton Roadside and 0.94 for West Dunbartonshire Clydebank. These factors are very close to the 0.95 bias for GSS on the R&A website. In order to be as conservative as possible the bias adjustment factor of 0.95 from the R&A website has been applied to all 2012 NO₂ tube results.

Discussion of Choice of Factor to Use

As stated above in order to be as conservative as possible the national bias adjustment factor of 0.95 for GSS has been applied to 2012 NO₂ diffusion tube results.

PM Monitoring Adjustment

It was not possible to provide any data from the TEOM/FDMS for 2012 as all data from the unit was rejected by AEA.

Short-term to Long-term Data adjustment

As the NO_x unit at West Dumbarton Glasgow Road only returned 46% data capture the data required to be adjusted to compensate.

Table A.1 Short-Term to Long-Term Monitoring Data Adjustment

Site	Site Type	Annual Mean ($\mu\text{g}/\text{m}^3$)	Period Mean ($\mu\text{g}/\text{m}^3$)	Ratio
Glasgow Anderston	Background	33	41.35	0.798
Glasgow Burgher Street	Background	34	38.8	0.876
N. Lanarkshire Cumbernauld	Background	31	39.07	0.793
Grangemouth Moray	Background	18.1	25.4	0.919
Average				0.8465

West Dumbarton, Glasgow Road. Estimated annual average = 27×0.8465 = $22.9\mu\text{g}/\text{m}^3$.

QA/QC of Automatic Monitoring

Data from West Dunbartonshire Council automatic monitors is downloaded daily by AEA. The data is screened, scaled and ratified by AEA and a full report is provided for each calendar year.

Additionally AEA carry out an audit of all automatic monitors twice yearly. The Glasgow Road, Dumbarton and the West Dunbartonshire, Clydebank have a comprehensive service contract and are serviced by Horiba at 6 monthly intervals. West Dunbartonshire Council staff change filters and carry out manual calibration of the NO_x analysers on a fortnightly basis. The calibration data is forwarded to AEA for QA/QC purposes.

The West Dunbartonshire, Clydebank unit is remotely checked by West Dunbartonshire Council staff each working day to ensure that data capture is optimal. Since the installation of the Casella unit in Dumbarton, Glasgow Road we are unable to carry out this daily check on that unit as we do not have the required software. We therefore rely on Ricardo/AEA informing us of any problems at the unit.

QA/QC of Diffusion Tube Monitoring

West Dunbartonshire Council use Glasgow Scientific Services (GSS) for NO₂ tube analysis. Tubes are provided and analysed by GSS.

The NO₂ tube preparation method used is 20% triethanolamine (TEA) in water. Glasgow Scientific Services were one of the UK laboratories undertaking LAQM activities that has participated in recent WASP NO₂ PT rounds 112 -119 and the percentage (%) of results submitted which were subsequently determined to be satisfactory based upon a z-score of $< \pm 2$.


Appendix B – Dumbarton Roadside Automatic Monitor Location (A1)



Appendix C – West Dunbartonshire Clydebank Automatic Monitor Location (A2)



Appendix D – Clydebank NO₂ Diffusion Tube Locations




Title : NO₂ Map - Clydebank

Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationery Office © Crown Copyright
 Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings.
 West Dunbartonshire Council Licence No. LA0905 IL 2001

Map No.
 Map Reference : NS4971
 Scale : 1:15000
 Date : 05/04/2012

Appendix E – Dumbarton NO₂ Diffusion Tube Monitoring Locations



West Dunbartonshire Council

Title: - N02 Map - Dumbarton

Date : 05/04/2012


Scale : 1:15000

Map Reference : NS4075

Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright.

Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings.

Appendix F – Vale of Leven NO₂ Diffusion Tube Monitoring Locations



Title : N02 Map - Vale of Leven

Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationery Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. West Dunbartonshire Council Licence No. LA09051L 2001

Map No.
Map Reference : NS3979
Scale : 1:20672
Date : 05/04/2012

Appendix G - Key for NO₂ diffusion tube monitoring locations

Site ID	Map number	Location
T1	14	Clydebank 1
T2	5	Clydebank 6
T3	21	Dumbarton 1
T4	17	Dumbarton 11
T5	26	Balloch 1
T6	25	Alexandria 1
T7- T9	6	Briar Drive (triplicate)
T10 –T12	19	Dumbarton (triplicate)
T13	15	Milton 1
T14	16	Milton 2
T15	20	Glasgow Road, Dumbarton 2
T16	18	Glasgow Road, Dumbarton 3
T17	12	Clydebank 7
T18	13	Clydebank 9
T19	9	Clydebank 10
T20	4	Clydebank 11
T21	10	Clydebank 12
T22	8	Clydebank 13
T23	11	Clydebank 14
T24	7	Clydebank 15
T25	1	Clydebank 16
T26	2	Clydebank 17
T27	3	Clydebank 18
T28	24	Vale of Leven 3
T29	23	Vale of Leven 4
T30	22	Dumbarton 12

Appendix H: Completed bias spreadsheets used to derive local bias

Checking Precision and Accuracy of Triplicate Tubes



Diffusion Tubes Measurements									
Period	Start Date dd/mm/yyyy	End Date dd/mm/yyyy	Tube 1 μgm^{-3}	Tube 2 μgm^{-3}	Tube 3 μgm^{-3}	Triplicate Mean	Standard Deviation	Coefficient of Variation (CV)	95% CI of mean
1	05/01/2012	01/02/2012	30.4	23.5	32.7	29	4.8	17	11.9
2	01/02/2012	29/02/2012	37.2	27.8	38.1	34	5.7	17	14.2
3	29/02/2012	28/03/2012	23.7	24.3	24.6	24	0.5	2	1.1
4	28/03/2012	26/04/2012	19.2	24.9	24.0	23	3.1	13	7.6
5	26/04/2012	01/06/2012	17.9	23.2	26.6	23	4.4	19	10.9
6	01/06/2012	25/06/2012	14.2	30.8	23.8	23	8.3	36	20.7
7	25/06/2012	02/08/2012	19.0	14.3	20.6	18	3.3	18	8.1
8	02/08/2012	29/08/2012	17.5	20.3	21.1	20	1.9	10	4.7
9	29/08/2012	26/09/2012	17.3	16.0	14.4	16	1.5	9	3.6
10	26/09/2012	01/11/2012	27.8	29.5	30.0	29	1.2	4	2.9
11	01/11/2012	30/11/2012	39.3	36.6	42.7	40	3.1	8	7.6
12	30/11/2012	03/01/2013	39.0	37.9	41.7	40	2.0	5	4.9
13									

It is necessary to have results for at least two tubes in order to calculate the precision of the measurements

Automatic Method		Data Quality Check	
Period Mean	Data Capture (% DC)	Tubes Precision Check	Automatic Monitor Data
34	100	Good	Good
31.1	95	Good	Good
26	100	Good	Good
21.3	100	Good	Good
21	98	Good	Good
18	95	Poor Precision	Good
15	100	Good	Good
20	95	Good	Good
13	95	Good	Good
25	97	Good	Good
34.2	96	Good	Good
36.5	100	Good	Good

Overall survey -->

Good precision Good Overall DC


Site Name/ ID:	Briar drive clydebank
----------------	-----------------------

Accuracy (with 95% confidence interval)	
without periods with CV larger than 20%	
Bias calculated using 11 periods of data	
Bias factor A	0.94 (0.87 - 1.02)
Bias B	7% (-1% - 15%)
Diffusion Tubes Mean:	27 μgm^{-3}
Mean CV (Precision):	11 caution
Automatic Mean:	25 μgm^{-3}
Data Capture for periods used:	98%
Adjusted Tubes Mean:	25 (23 - 27) μgm^{-3}

Precision	11 out of 12 periods have a CV smaller than 20%
-----------	---

Accuracy (with 95% confidence interval)	
WITH ALL DATA	
Bias calculated using 12 periods of data	
Bias factor A	0.93 (0.86 - 1.01)
Bias B	8% (-1% - 17%)
Diffusion Tubes Mean:	26 μgm^{-3}
Mean CV (Precision):	13 caution
Automatic Mean:	24 μgm^{-3}
Data Capture for periods used:	98%
Adjusted Tubes Mean:	25 (23 - 27) μgm^{-3}

(Check average CV & DC from Accuracy calculations)



Jaume Targa, for AEA
Version 04 - February 2011

Checking Precision and Accuracy of Triplicate Tubes

Diffusion Tubes Measurements									
Period	Start Date dd/mm/yyyy	End Date dd/mm/yyyy	Tube 1 μgm^{-3}	Tube 2 μgm^{-3}	Tube 3 μgm^{-3}	Triplicate Mean	Standard Deviation	Coefficient of Variation (CV)	95% CI of mean
1	05/01/2012	01/02/2012	20.5	27.0	23.2	24	3.3	14	8.1
2	01/02/2012	29/02/2012	21.1	24.3		23	2.3	10	20.3
3	29/02/2012	28/03/2012	22.1	20.2	22.3	22	1.2	5	2.9
4	28/03/2012	26/04/2012	23.0	27.2	25.1	25	2.1	8	5.2
5	26/04/2012	01/06/2012	23.5	19.8	23.2	22	2.1	9	5.1
6	01/06/2012	25/06/2012	19.7	24.1	17.2	20	3.5	17	8.7
7	25/06/2012	02/08/2012	10.0		8.2	9	1.3	14	11.4
8	02/08/2012	29/08/2012	15.7	14.4	16.4	16	1.0	7	2.5
9	29/08/2012	26/09/2012	18.3	17.9	15.9	17	1.3	7	3.2
10	26/09/2012	01/11/2012	31.3	25.1	26.3	28	3.3	12	8.2
11	01/11/2012	30/11/2012	31.4	32.7	30.6	32	1.1	3	2.6
12	30/11/2012	03/01/2013	20.0	37.2	35.6	31	9.5	31	23.6
13									

It is necessary to have results for at least two tubes in order to calculate the precision of the measurements

Automatic Method		Data Quality Check	
Period Mean	Data Capture (% DC)	Tubes Precision Check	Automatic Monitor Data
29.6	98	Good	Good
28	100	Good	Good
20.1	87	Good	Good
16.2	92	Good	Good
17	91	Good	Good
17	100	Good	Good
14	100	Good	Good
15	100	Good	Good
15	100	Good	Good
25	100	Good	Good
26.4	93	Good	Good
32.32	95	Poor Precision	Good
Overall survey -->		Good precision	Good Overall DC


(Check average CV & DC from Accuracy calculations)

Site Name/ ID:	West DC Glasgow Road
----------------	----------------------

Accuracy (with 95% confidence interval)	
without periods with CV larger than 20%	
Bias calculated using 11 periods of data	
Bias factor A	0.94 (0.81 - 1.13)
Bias B	6% (-11% - 23%)
Diffusion Tubes Mean:	22 μgm^{-3}
Mean CV (Precision):	10
Automatic Mean:	20 μgm^{-3}
Data Capture for periods used:	96%
Adjusted Tubes Mean:	20 (17 - 24) μgm^{-3}

Precision	11 out of 12 periods have a CV smaller than 20%
-----------	---

Accuracy (with 95% confidence interval)	
WITH ALL DATA	
Bias calculated using 12 periods of data	
Bias factor A	0.95 (0.83 - 1.13)
Bias B	5% (-11% - 21%)
Diffusion Tubes Mean:	22 μgm^{-3}
Mean CV (Precision):	11 caution
Automatic Mean:	21 μgm^{-3}
Data Capture for periods used:	96%
Adjusted Tubes Mean:	21 (18 - 25) μgm^{-3}



Jaume Targa, for AEA
Version 04 - February 2011

Appendix I: AEA Pollution Report for West Dunbartonshire, Clydebank

Produced by Ricardo-AEA on behalf of the Scottish Government

WEST DUNBARTONSHIRE CLYDEBANK

1st January to 31st December 2012

These data have been fully ratified by Ricardo-AEA


POLLUTANT	NO _x	NO ₂
Maximum hourly mean	1012 µg m ⁻³	170 µg m ⁻³
Average	56 µg m ⁻³	24 µg m ⁻³
Data capture	99.4 %	99.4 %

All gaseous pollutant mass units are at 20°C and 1013 mb.

NO_x mass units are NO_x as NO₂ µg m⁻³

Pollutant	Air Quality Regulations (2000) and Air Quality (Scotland) Amendment Regulations 2002	Exceedences	Days
Nitrogen Dioxide	Annual mean > 40 µg m ⁻³	0	-
Nitrogen Dioxide	Hourly mean > 200 µg m ⁻³	0	0

Note: For a strict comparison against the objectives there must be a data capture of >90% throughout the calendar year



Appendix J – AEA Pollution report for Dumbarton Roadside

Produced by Ricardo-AEA on behalf of Defra and the Scottish Government

DUMBARTON ROADSIDE

1st January to 31st December 2012

These data have been fully ratified by Ricardo-AEA


POLLUTANT	NO ₂	NO _x
Maximum hourly mean	174 µg m ⁻³	976 µg m ⁻³
99.8th percentile of hourly means	134 µg m ⁻³	-
Average	27 µg m ⁻³	65 µg m ⁻³
Data capture	46.1 %	46.1 %

All gaseous pollutant mass units are at 20°C and 1013 mb.

NO_x mass units are NO_x as NO₂ µg m⁻³

Pollutant	Air Quality Regulations (2000) and Air Quality (Scotland) Amendment Regulations 2002	Exceedences	Days
Nitrogen Dioxide	Annual mean > 40 µg m ⁻³	0	-
Nitrogen Dioxide	Hourly mean > 200 µg m ⁻³	0	0

Note: For a strict comparison against the objectives there must be a data capture of >90% throughout the calendar year



Appendix K – 2012 Monthly Figures NO₂

N02 tubes 2012	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Clydebank 1		32.7	32.2	23.8	25.6	19.9	27.3	27.1	26.7	40.6	54.8	47.1
Clydebank 6	36.6	42.9	27.8	27.8	44.8	28.7	36	28.8	26.8	48.2	52.1	57.3
Clydebank 7	30.6	32.8	28.5	24.5	26.8	22.8	24.9	28.1	23.7	34.5	46.5	41.9
Clydebank 9	26.1	18.7	26.6	28.7	26	21.2	23.3	21.5	20.7	31.6	39.7	35.1
Clydebank 10	39	24	30	18.7	29.8	22.2	19.9	27.6	25.8	35.8	38.6	40.4
Clydebank 11	26.9	35.3	31.8	20.4	25.7	15.4	17.5	18.3	21	25.1	39.9	38.5
Clydebank 12	22.2	43.6	41.9	24.2	15.1	16.3	22.1	25.3	17.8	28.2	39.2	35.4
Clydebank 13	26.4	33.5	28.9	29.3	19	18	7.9	21.4	20.3	30.5	44.2	39.1
Clydebank 14		25.1	24.4	13.1	13	11.1	11.7		9.7	19.2	28.9	24.5
Clydebank 15	22	38.8	26	22.6	27.2		19.8	29	21.5	31.6	44.7	45.8
Clydebank 16	21.3	22.7	29.6	19.3	14.9	17.4	13.4	22	18.9	29.9	42.9	36.9
Clydebank 17	26.7	41.3	30.8		18.1	18.4	15.2	21.2	21	29.4	36	36.2
Clydebank 18	6.2	35.8	31.5	24.6	28.4				20.2	39.1	45	47.4
Dumbarton 1	39.5	26.1	32.6	22.9	19.2	28.8	22.8	25.9	22.4	35.7	38.6	37.3
Dumbarton 11	38	31.5	33.9		28	24.3	25.1	55.5	21.1	57.8	41.5	
Dumbarton 12	22.4	34	18	18.6	19.7	18	14.8	15.4	13.3	25.4	30	28.9
Glasgow Rd, D'ton 2	46.7	47.5	46.2	32.5	27.9	26.5	33	26.9	27.3	38.8	41.6	42
Glasgow Rd, D'ton 3	35.2	27.2	25.3	43.4	39.1	43.6	28	17.3	35.5	36.5	46.2	
Milton 1		58.9	62.7	43.1	56.7	46	43.7	42.5	47.3		74.6	68.2
Milton 2	22.9	25.4	28.3	8.6	12.5	14.5	16.4	12.6	23.9	45	31.2	24.7
Alexandria 1	29.6	22.4	30.5	28.4	23.9	18	21	22		22.9	37.2	41.4
Balloch 1	22.2	24.2	23.3	29.8	21	27.5	22.7	21.6	15.7	26.7	36.1	39.6
Vale of Leven 3	19.7	21	25.9	25.1	19.6	16.1	18.7	22.2	25	31.1	38.1	28.9
Vale of Leven 4	24.2	13	25.5	16.2	20.1	14.7	25.3	18.3	23.4	28	36.1	32.7
Briar Drive 1	30.4	37.2	23.7	19.2	17.9	14.2	19	17.5	17.3	27.8	39.3	39
Briar Drive 2	32.5	27.8	24.3	24.9	23.2	30.8	14.3	20.3	16	29.8	36.6	37.9
Briar Drive 3	32.7	38.1	24.6	24	26.6	23.8	20.6	21.1	14.4	30	42.7	41.7
Dumbarton triplicate 1	20.5	21.1	22.1	23	23.5	19.7	10	15.7	18.3	31.3	31.4	20
Dumbarton triplicate 2	27	24.3	20.2	27.2	19.8	24.1		14.4	17.9	25.1	32.7	37.2
Dumbarton triplicate 3	23.2		22.3	25.1	23.2	17.2	8.2	16.4	15.9	26.3	30.6	35.6